



**TEGERA® 191**



[Learn more](#)

Leather glove, winter-lined, 0,9 - 1,3 mm full grain cowhide of top quality, Thinsulate™ 200g, Cat. II, reinforced thumb, waterproof, for allround work

**CHARACTERISTICS**

- Extremely warm
- Flexible
- Perfect fit
- Durable
- Good grip
- Breathable

**FUNCTIONS**

- Waterproof
- Extra long
- Reinforced thumb
- Windproof

**AQUATHAN®**

**Thinsulate™**  
INSULATION

**PREVENTS RISK OF**

abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with moisture, contact with damp, contact with cold, chafing

**PRIMARY ENVIRONMENTS OF USE**

windy environments, outdoors, dry environments, cold environments, wet environments, moist environments, harsh environments

**PRIMARY AREAS OF USE**

warehouse work, military work, marine work, fishing industry work, fishing, hunting

**PRIMARY INDUSTRIES OF USE**

transportation, building and construction, logistics

**TYPE OF WORK**

Heavy weight

**SPECIFICATION**

TYPE Cold insulation gloves, Heavy duty gloves

CATEGORY Cat. II

PALM MATERIAL Full grain cowhide of top quality

BACK MATERIAL Full grain cowhide of top quality

LINING Winter-lined

LINING MATERIAL Thinsulate™ 200g

LENGTH 342-396 mm

COLOUR Black, White

PAIRS PER: BUNDLE/CARTON 3/30

DISPLAY TYPE Hook with hangtag

FASTENING String lock

CUFF STYLE Extended safety cuff

CUFF MATERIAL Textile

CLO INSULATION RATING 3,3 m<sup>2</sup>·K/W

INNER MATERIAL SPECIFICATION Polyester


MIDDLE MATERIAL SPECIFICATION Polyethylene

OUTER MATERIAL SPECIFICATION Leather, Polyester, Natural latex


**COMPLIANCE**



TP TC 019:2011




EN 420:2003 +A1:2009



EN 511 cl. 5.4 Extreme cold flexibility (-50°C)

**FEATURES**



SIZE	ARTICLE NUMBER	EAN
7	191-7	7340118354927
8	191-8	7340118355047
9	191-9	7340118301457
10	191-10	7392626075979
11	191-11	7340118301396
12	191-12	7340118301419

**ejendals**

Limavägen 28, SE-793 32 Leksand, Sweden

Phone +46 (0) 247 360 00 | info@ejendals.com | order@ejendals.com