



EXT Rescue® 4012

**CE USER INFORMATION
MECHANIC'S GLOVES
HEXARMOR® 4012 EXT**

GLOVE DESCRIPTION

Heavy duty mechanic's style gloves. The gloves can be used in general applications where cut resistance is needed. But gloves are not to be used with moving or serrated blades and are cut resistant, not cut proof. Protection areas include complete palm coverage. Protection levels below are measured on protection area from palm area of glove.

EN420: 2003

SIZE/STYLE GUIDE

Hand Size – Defined in EN 420: 2003

4012 – HexArmor® 4012 EXT

6	XS/6
7	S/7
8	M/8
9	L/9
10	XL/10
11	XXL/11

All sizes comply with the EN420:2003 test for comfort and fit and dexterity. Per customer recommendations, HexArmor® has specifically manufactured these gloves to have a tighter fit in order to increase dexterity, the length is appropriate for the intended use.

DEXTERITY

Dexterity Defined in EN420:2003

Level 2

Dexterity level 2 is the level of dexterity that allows smooth pins 9.5mm in diameter to be picked up with ease

EN388: 2003

INTERMEDIATE

SAFETY CATEGORY

TESTED IN ACCORDANCE WITH EN 388:2003



4541

MECHANICAL DATA

Abrasion resistance	level 4
(where 1 is the lowest and 4 is the highest)	
Blade cut resistance	level 5
(where 1 is the lowest and 5 is the highest)	
(ISO 13397)	
Tear resistance	level 4
(where 1 is the lowest and 4 is the highest)	
Puncture test	level 1
(where 1 is the lowest and 4 is the highest)	

ANSI PUNCTURE

Tested in accordance with Clause 6.4 of EN 388:2003

Level 2

MARKING ON GLOVE

Name of Manufacturer, model number, size, CE mark, EN388:2003 pictogram, "book" symbol, product name.

STORAGE

Gloves should be ideally stored in dry conditions in original package.

OBSOLESCENCE

When stored as recommended will not suffer change in mechanical properties for up to five years from the date of manufacture. Service life cannot be specified and depends on application and responsibility of user to ascertain suitability of the glove for its intended use.

GENERAL

The products are manufactured under a quality system.

None of the raw materials or processes used in the manufacture of these products is known to have any harm on the wearer.

EC TYPE EXAMINATION CARRIED OUT BY:

West Yorkshire Materials Testing Service

PO Box 5

Nepshaw Lane South

Morley, Leeds LS27 7JQ

United Kingdom

Notified Body No: 2019

NOTE

The information contained herein is intended to assist the wearer in selection of Personal Protective Equipment. The results of physical tests should also help in glove selection. However, it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the user not the manufacturer to determine the glove suitability for the intended use.

WARNING

Do not use with moving or serrated blades.

FURTHER INFORMATION AVAILABLE AT:

Ref: HexArmor® 4012 EXT

USA	CANADA	EUROPE
1-877-692-7667	1-616-459-4144	1-877-692-7667
1-616-459-4144		

HexArmor®
2000 Oak Industrial Drive NE
Grand Rapids, MI 49505 USA
www.hexarmor.com



Call **1.877.MYARMOR** or visit **hexarmor.com**