

DELTA PLUS GROUP declares that this product complies with the following regulations :

Identification of the PPE object of the declaration :

**VE802 - NITREX VE802**

Designation :

COTTON FLOCK NITRILE GLOVE - 33 CM

Colour :

Green

Size :

6/7, 7/8, 8/9, 9/10, 10/11



Specifications :

Nitrile with cotton flocklining. Length: 33 cm. Thickness: 0,38 mm.

The PPE is also identifiable by the following means :

- The product picture
- Each PPE wears the name indicated on this declaration of conformity.
- Each PPE wears the bar code indicated in the annex to this declaration of conformity
- Each PPE wears a batch number. For any further information, just give it to us. Our organization, based on this batch number, allows us to ensure the traceability of the PPE.

## UKCA DECLARATION OF CONFORMITY

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The object of the declaration identified above is in conformity with the relevant statutory (Regulation 2016/425 on personal protective equipment, as amended to apply in GB) requirements and with the designated standards:



REGULATION 2016/425 PERSONAL PROTECTIVE EQUIPEMENT, AS AMENDED TO APPLY IN GB

EN ISO 21420:2020 General requirements

5: Dexterity (from 1 to 5)

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

0: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



## EN ISO 374-1:2016+A1:2018 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015,

..: Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

2 > 30 mn: Méthanol (A) CAS 67-56-1

6 > 480 mn: n-Heptane (J) CAS 142-85-5

6 > 480 mn: Sodium hydroxide 40% (K) CAS 1310-73-2

3 > 60 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

2 > 30 mn: Nitric acid 65% (M) CAS 7697-37-2

3 > 60 mn: Acetic acid 99% (N) CAS 64-19-7

6 > 480 mn: Ammonium hydroxide 25% (O) CAS 1336-21-6

6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1

6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0



## EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro-organisms risks.

..: BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.



## ISO 18889:2019 Protective gloves for pesticide operators and re-entry workers.

G2: G2 : Protection for use with concentrated and diluted pesticides to the whole hand.

Category III : PPE for risks that may cause very serious consequences such as death or irreversible damage to health (annex I, Regulation (EU) 2016/425).

0321 - SATRA TECHNOLOGY CENTRE (WYNDHAM WAY TELFORD WAY NORTHAMPTONSHIRE NN16 8SD KETTERING UNITED KINGDOM) :

Approved body which performed the Type- examination (module B) and issued the Type-examination certificate: AB0321 16129 02 E05 01

Apt, 19/09/2023

Signed for and on behalf of DELTA PLUS GROUP :

David GUIHO  
Marketing director



ANNEX:

## Item details

Item details	Bar code	COLOUR	SIZE
VE802VE06	3295249011819	Green	6/7
VE802VE07	3295249011826	Green	7/8
VE802VE08	3295249011833	Green	8/9
VE802VE09	3295249011840	Green	9/10
VE802VE10	3295249012359	Green	10/11