

DELTA PLUS GROUP declares that this product complies with the following regulations :

Identification of the PPE object of the declaration :

**VE780 - PETRO VE780**

Designation :

PVC COATED COTTON LINED GLOVE OIL TYPE

Colour :

Blue

Size :

08, 09, 10



Specifications :

Chemical PVC. PVC on cotton knitted lining gauge 13. Rough-textured hand. Length: 30 cm. Thickness: 1.30 mm.

The PPE is also identifiable by the following means :

- The product picture
- Each PPE wears the name indicated on this declaration of conformity.
- Each PPE wears the bar code indicated in the annex to this declaration of conformity
- Each PPE wears a batch number. For any further information, just give it to us. Our organization, based on this batch number, allows us to ensure the traceability of the PPE.

## UKCA DECLARATION OF CONFORMITY

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The object of the declaration identified above is in conformity with the relevant statutory (Regulation 2016/425 on personal protective equipment, as amended to apply in GB) requirements and with the designated standards:



REGULATION 2016/425 PERSONAL PROTECTIVE EQUIPEMENT, AS AMENDED TO APPLY IN GB

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

3: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



## EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.



B: Type B - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 3 chemicals at level 2 according to EN16523-1: 2015 (from 1 to 6).  
 ∴ Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.  
 2 > 30 mn: n-Heptane (J) CAS 142-85-5  
 6 > 480 mn: Sodium hydroxide 40% (K) CAS 1310-73-2  
 4 > 120 mn: Sulphuric acid 96 % (L) CAS 7664-93-9



## EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro-organisms risks.

∴ BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.

Category III : PPE for risks that may cause very serious consequences such as death or irreversible damage to health (annex I, Regulation (EU) 2016/425).

0321 - SATRA TECHNOLOGY CENTRE (WYNDHAM WAY TELFORD WAY NORTHAMPTONSHIRE NN16 8SD KETTERING UNITED KINGDOM) :

Approved body which performed the Type- examination (module B) and issued the Type-examination certificate: AB0321 22226 01 E00 00

The PPE is subject to the conformity assessment procedure to type based on internal production control plus supervised product checks at random intervals (Module C2) under surveillance of the Approved body: 0624 - CENTRO TESSILE COTONIERO E ABB (S.P.A. CENTROCOT PIAZZA S. ANNA, 2 21052 BUSTO ARSIZIO ITALIE )

Apt, 22/08/2023

Signed for and on behalf of DELTA PLUS GROUP :  
 David GUIHO  
 Marketing director



### ANNEX:

Item details			
Item details	Bar code	COLOUR	SIZE
VE780BL08	3295249026011	Blue	08
VE780BL09	3295249026028	Blue	09
VE780BL10	3295249026035	Blue	10