



TEGERA® 819A

Disposable glove, 0,08 mm PVC (Vinyl), non powder, Cat. III, transparent, latex-free, waterproof, for precision work

PROPERTIES

Flexible, good fit

SPECIFICATION

TYPE OF GLOVE Disposable and/or chemical resistant gloves

CATEGORY Cat. III

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11

MATERIAL PVC (Vinyl)

THICKNESS 0,08 mm

INSIDE Non powder

CUFF STYLE Rolled edges

LENGTH RANGE 240 mm

COLOUR Transparent

BOXES PER CARTON 10

PIECES PER BOX 100

AQL 1.5

DISPLAY Box

SIZE	ART. NO.	EAN NO.
6	819A-6	
7	819A-7	
8	819A-8	
9	819A-9	
10	819A-10	
11	819A-11	

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 819A

PREVENTS RISK OF

Risk of infection, contact with dirt, contact with moisture, contact with damp

PRIMARY ENVIRONMENTS OF USE

Microbiological risk environments, disposable use, wet environments, moist environments, dirty environments

PRIMARY AREAS OF USE

Sanitation, cleaning, foodstuff handling, food handling, care work

PRIMARY INDUSTRIES OF USE

Food processing, HoReCa, service




TYPE OF WORK

Light weight



CE 2777 Cat. III

EN 420:2003 + A1:2009  EN ISO 374-1:2016/Type B KPT

 EN ISO 374-5:2016  

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-25

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 819A

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

CHEMICAL RESISTANCE

According to EN16523-1:2015. For details, please contact Ejendals.

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

Council directive 89/686/EEC (PPE Directive)

EU 2016/425

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and microorganisms – Part 5 Terminology and performance requirements for microorganism risks.

EN ISO 374-1:2016/Type B Protective gloves against dangerous chemicals and microorganisms – Part 1: Terminology and performance requirements for chemical risks.

Test according to EN ISO 374-1:2016

Tested chemical	K	P	T
Permeation level	6	6	5
Degradation %	9,1	-25,6	-2,6

Permeation levels are based on breakthrough times as follows

Permeation level	1	2	3	4	5	6
Minimum breakthrough times (min)	10	30	60	120	240	480

Definition of breakthrough time through the glove palm (1µg/cm²/min)

K: Sodium hydroxide 40% (CAS number 1310-73-2)




P: Hydrogen peroxide 30% (CAS number 7722-84-1)

T: Formaldehyde 37% (CAS number 50-00-0)



CE 2777 Cat. III

EN 420:2003 + A1:2009  EN ISO 374-1:2016/Type B KPT

 EN ISO 374-5:2016  

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-25

3(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com