



TECHNICAL PRODUCT DATASHEET



UPDATED: 22/11/2018



CERTIFICATION LEGENDS

EN511:2006 EN388-2016 EN388-2016 EN407:2004 Blade Cut TDM NEWTON LEVEL EN ISO 13997 **\$** ≥ 30 F 17 E D ≥ 22 ≥ 15 ≥ 10 с BCDE ≥ 5 B EN ISO 13997 > 2 * For dulling during cut resistance test (6.2), the coupe test results are only indicative while the TDM cut resistance test (6.3) is the reference performance result user exposure. see seperate sheet ¹ Testing carried out on the palm material. Except in cases where the glove is equal to or over 400mm - where the curl' is tested also tested. ¹X' denotes Not Tested. ¹ Where applicable, ENS882016 scores take precedent and are nonion. There is no correlation between course take two and ISD 19397/TDM cut test levels. Where both ENS882016 scores are hown. The latter is shown for informational purposes only. and are ongoing. There is no correlation bet

FURTHER INFORMATION

STORAGE / TRANSPORT: Keep away from direct sunlight; store in a cool dry place. Keep away from ozone sources or naked flame. Store the gloves in their original packaging. During transportation, ensure the product is well packaged and protected in order to prevent any damage.

PRECAUTIONS BEFORE USE: 1. Never use these gloves with chemicals, 2. Gloves should not be used when there is a risk of entanglement with moving machine parts. 3. Before usage and periodically during usage, inspect the gloves for any defects or imperfections. Avoid wearing damaged, dirty or worn out gloves. 4. The gloves should not come in contact with a naked flame or fire. 5. Do not subject to high speed or serrated blades. 6. Always read enclosed user instructions before using these gloves. 8. The information provided is for products in a new condition and does not reflect the actual duration of protection in the workplace. 9. Service life cannot be specified and depends on the application and the responsibility of the user to ascertain suitability of the glove for its intended use.

CONSTITUENTS / ALLERGIES: Some gloves may contain ingredients which are known to be a possible cause of allergies in sensitive persons who may develop irritant and/or allergic contact reactions. If an allergic reaction should occur seek medical advice immediately. This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

HAND PROTECTION RANGE

PRODUCT DATASHEET

TECHNICAL

HEAT PROTECTION

UPDATED: 22/11/2018

*SANITIZED® TREATMENT

Sanitized®: These gloves incorporate a Biocidal product. The Biocidal treatment protects against a broad spectrum of Bacteria and Fungi. The active Biocidal substance - Zinc Pyrithione - promotes freshness and inhibits odours.

For more information about this product, or to access the Declaration of Conformity or Product Certification, visit;

If appropriate to the product. CGUU declaration of Conformities, relevant conflictation and supporting documentation are available to access through your distributor, at the above web address() or by contacting UG autometer services quoting the product reference code. This document and any other attement provide Areleving to or a behalf of UG are given for informational purposes and on hor constitute a contractural of mechanismity. Our assumes no responsibility to make any modifications it deems necessary. All product and company names are trademarks^{to} or registered® trademarks of the respective holders. O UC limites: 0 UC limites. O UC limites: 0 UC limites. The manufacture reserves the right to make any modifications it deems necessary. All product and company names are trademarks^{to} or registered® trademarks of their respective holders. O UC limites: 0 UC limites. O UC limites: 0 UC limites. O UC limites: 0 UC limites. O UC limites: 0 UC limites: 0



Phone: +44 (0)1902 451 451 **Fax:** +44 (0)1902 451 271

Email: sales@ultimateindustrial.co.uk

8 Web: www.ultimateindustrial.co.uk



© 2018. Ultimate Cleaners (Industrial) Ltd. Victoria House, Colliery Road, Wolverhampton, WVI 2RD, UK Registered in England No. 2035621

Adept®

NFT® paim coated gloves, grey shell

Nylon and Lycra blend liner providing one of the most comfortable and supportive gloves on the market. Patented NFT® coating, specially developed for when precision handling is required, produces unrivalled grip on dry, wet and oily conditions. Provides class leading abrasion resistance greater than 25,000 cycles. Certified to the Oeko-Tex® standard 100 for environmentally friendly textiles. Enhanced breathability working in conjunction with the Sanitized® hygiene function provides prolonged freshness, protection and outstanding wearer comfort over heavily extended uses.






FEATURES AND TECHNOLOGY





NITRILE, NFT®		EN388:2016	88:2016	EN388:2003*
PER PACK: 10	PER CASE: 120	(
6 (XS), 7 (S), 8 (M), 9 (L), 10 (XL), 11 (2XL)		4 1 3 1 X	31X	4131
SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, Dublin, DIS VN2P, Ireland (Notified Body No. 2777)		Abrasion (0-4) Cut (0-5)	TDM Cut (A-F)	Abrasion (0-4) Cut (0-5) Tear (0-4) Puncture (0-4)
		2 * Where applicat	¹ X denotes not tested. ² Where applicable, EN388.2016 scores take precedent and are on	



(Ui)

\Ultimate

Victoria House, Colliery Road, Wolverhampton, WVI 2RD, UK

OIL, GAS

RAILWAYS

Leadership in

Industrial **PROTECTION.**"

Registered in England No. 2035621

© 2018. Ultimate Cleaners (Industrial) Ltd.



PACKING

EU TYPE

SIZES AVAILABLE

CERTIFICATION BY

Phone: +44 (0)1902 451 451 (D) Fax: +44 (0)1902 451 271

🔯 Email: sales@ultimateindustrial.co.uk

8 Web: www.ultimateindustrial.co.uk