

HAND PROTECTION RANGE



TECHNICAL PRODUCT DATASHEET



UPDATED: 28/02/2019



Grey PU palm coating on a grey polyester shell.

A 13 gauge, light weight, machine knitted seamless construction polyester liner with a tough polyurethane coating on the front face. Excellent dexterity and grip combined with improved mechanical protection.



FEATURES AND TECHNOLOGY



























TYPICAL INDUSTRIES

BUILDING &

Leadership in

TECHNICAL INFORMATION

ORDER REF#	G/PCP-G		С
COATING MATERIAL	PU		
PACKING	PER PACK: 10	PER CASE: 240	
SIZES AVAILABLE	6 (XS), 7 (S), 8 (M), 9 (L), 10 (XL), 11 (2XL)		
EU TYPE CERTIFICATION BY	SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD, UK (Notified Body No. 0321)		







TECHNICAL PRODUCT DATASHEET






UPDATED: 28/02/2019

CERTIFICATION LEGENDS





* For dulling during cut resistance test (6.2), the coupe test results are only indicative while the TDM cut resistance test (6.3) is the reference performance result



Testing carried out on the palm material. Except in cases where the glove is equal to or over 400mm - where the cut it is tested also tested. 3"X denotes NoT rested." Where applicable, ENS88,2016 scores take precedent and are onoion. There is no correlation between cougle test levels and 150 13997 / TDM cut test levels. Where both ENS882016 is not ENS882005 and ENS882005 scores are shown, the latter is shown for informational purposes only.

FURTHER INFORMATION

STORAGE / TRANSPORT: Keep away from direct sunlight; store in a cool dry place. Keep away from ozone sources or naked flame. Store the gloves in their original packaging. During transportation, ensure the product is well packaged and protected in order to prevent any damage.

PRECAUTIONS BEFORE USE: 1. Never use these gloves with chemicals, 2. Gloves should not be used when there is a risk of entanglement with moving machine parts, 3. Before usage and periodically during usage, inspect the gloves for any defects or imperfections. Avoid wearing damaged, dirty or worn out gloves. 4. The gloves should not come in contact with a naked flame or fire. 5. Do not subject to high speed or serrated blades. 6. Always read enclosed user instructions before using these gloves. 8. The information provided is for products in a new condition and does not reflect the actual duration of protection in the workplace. 9. Service life cannot be specified and depends on the application and the responsibility of the user to ascertain suitability of the glove for its intended use.

CONSTITUENTS / ALLERGIES: Some gloves may contain ingredients which are known to be a possible cause of allergies in sensitive persons who may develop irritant and/or allergic contact reactions. If an allergic reaction should occur seek medical advice immediately. This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

For more information about this product, or to access the Declaration of Conformity or Product Certification, visit;

If appropriate to the product. CEU Declaration of Conformalies, relevant certification and supporting documentation are available to access the footnomes to extend due you be addressed or by contacting UC customer services quoting the product reference once this document and any opter statement or product reference once this document and any opter statement or product before the control of the





Fax: +44 (0)1902 451 271

Email: sales@ultimateindustrial.co.uk





© 2019. Ultimate Cleaners (Industrial) Ltd. Victoria House, Colliery Road, Wolverhampton, WVI 2RD, UK Registered in England No. 2035621





