

HexArmor  
WITH SuperFabric.

SIZE: 7/S



# NeedleStick

## SharpsMaster II® 9014

- Layering of SuperFabric® brand materials provide industry leading cut resistance (interior layer)
- Wrinkle rubber palm coating with Actifresh™ antimicrobial treatment
- Cotton blend shell



3 Layers SuperFabric® Protection



ANSI/ISEA CUT NEEDLESTICK  
A9 LEVEL 5  
CE 4544

Fiber Content:  
Shell: 55% Latex, 45% (25% Cotton, 75% Polyester)  
Lining: 51% Plastic, 30% Polyester, 19% Cotton

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending.  
HexArmor® is a registered trademark of Performance Fabrics, Inc.  
SuperFabric® is a registered trademark of HDM, Inc.  
© 2016 HexArmor, Inc.  
Call 1-877-MY ARMOR or visit hexarmor.com

Made in Sri Lanka

### CE USER INFORMATION 9014 - SHARPSMASTER II® NEEDLE RESISTANT GLOVES

**GLOVE DESCRIPTION**  
Heavy duty gloves with full palm protection. The gloves can be used in general applications where cut and puncture resistance is needed. But gloves are not to be used with moving or serrated blades and are cut and puncture resistant, not cut or puncture proof. Protection areas include palm and fingers (palm side). Protection levels below are measured on all protective areas of the palm.

EN420: 2003  
SIZE/STYLE GUIDE  
Hand Size - Defined in EN 420:2003  
9014 Size:

6	XS/6
7	S/7
8	M/8
9	L/9
10	XL/10

EN388: 2004  
INTERMEDIATE  
SAFETY CATEGORY  
TESTED IN ACCORDANCE WITH EN 388:2003



#### MECHANICAL DATA

Abrasion resistance	level 4
Blade cut resistance	level 5
Tear resistance	level 4
Puncture test	level 4

ANSI PUNCTURE  
Tested in accordance with Clause 6.4 of EN 388:2003  
Level 5

ANSI 105-2016 NEEDLESTICK  
Tested in accordance with ASTM F2978 Level 5

OTHER TESTS:  
The gloves have been tested according to the following standard.  
BS EN420: 2003: clause 4.3.2 pH

MARKING ON GLOVE  
Name of Manufacturer, model number, size, CE mark, EN388:2003 pictogram, "book" symbol, product name.

STORAGE  
Gloves should be ideally stored in dry conditions in original package.

OBSOLESCENCE  
When stored as recommended gloves will not suffer change.

in mechanical properties for up to five years from the date of manufacture. Service life cannot be specified and depends on application and responsibility of user to ascertain suitability of the glove for its intended use.

**GENERAL**  
The products are manufactured under a quality system. None of the raw materials or processes used in the manufacture of these products is known to have any harm on the wearer.

**EC TYPE EXAMINATION CARRIED OUT BY:**  
SATRA Technology Centre Ltd, SATRA House  
No 0321  
Wyndham Way Telford Way,  
Kettering, Northants.  
NN16 8SD  
Tel: +44 (0) 1536 410000  
Fax: +44 (0) 1536 410626

**NOTE**  
The information contained herein is intended to assist the wearer in selection of Personal Protective Equipment. The results of physical tests should also help in glove selection. However, it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the user, not the manufacturer to determine the glove suitability for the intended use.

**WARNING**  
Do not use with moving or serrated blades.

**FURTHER INFORMATION AVAILABLE AT:**  
Ref: Sharpsmaster II® 9014

USA	CANADA	EUROPE
1-877-692-7667	1-616-459-4144	1-877-692-7667
1-616-459-4144		

HexArmor®  
2000 Oak Industrial Drive NE  
Grand Rapids, MI 49505  
www.hexarmor.com



#### Contact us for more info

HexArmor Phone: (616) 459-4144  
2000 Oak Industrial Drive NE Fax: (616) 459-2242  
Grand Rapids, MI 49505 Toll Free: (877) 692-7667  
info@hexarmor.com