

HAND PROTECTION RANGE

PRODUCT DATASHEET



UPDATED: 12/03/2019

PB7D

Thermal acrylic glove with red PVC dots to one side.

General purpose glove knitted from 100% 7 gauge acrylic fibre which provides excellent cold insulation and is fast drying. An extended elasticated cuff seals in warmth and ensures a snug comfortable fit. Flexible PVC dotting to one side for increased dry grip and abrasion resistance.



FEATURES AND TECHNOLOGY

















TYPICAL INDUSTRIES

TECHNICAL INFORMATION

ORDER REF#	G/PB7D/BL	
COATING MATERIAL	DOTTED	
PACKING	PER PACK: 12	PER CASE: 240
SIZES AVAILABLE	8 (M), 9 (L)	
EU TYPE CERTIFICATION BY	SGS United Kingdom Ltd, Systems & Services Certification, 202B Worley Parkway, Weston-Super-Mare, BS22 6WA, UK (Notified Body No. 0120)	


















TECHNICAL PRODUCT DATASHEET



UPDATED: 12/03/2019

CERTIFICATION LEGENDS





* For dulling during cut resistance test (6.2), the coupe test results are only indicative while the TDM cut resistance test (6.3) is the reference performance result





Testing carried out on the palm material. Except in cases where the glove is equal to or over 400mm - where the cutf is tested also tested. 3"X denotes NoT rested." Where applicable, ENS88.2016 scores take precedent and are onoion. There is no correlation between coughe test levels and ISO 19397 / TDM cut test levels. Where both ENS88.2016 and ENS88.2005 scores are shown, the latter is shown for informational purposes only.

FURTHER INFORMATION

STORAGE / TRANSPORT: Keep away from direct sunlight; store in a cool dry place. Keep away from ozone sources or naked flame. Store the gloves in their original packaging. During transportation, ensure the product is well packaged and protected in order to prevent any damage.

PRECAUTIONS BEFORE USE: 1. Never use these gloves with chemicals, 2. Gloves should not be used when there is a risk of entanglement with moving machine parts, 3. Before usage and periodically during usage, inspect the gloves for any defects or imperfections. Avoid wearing damaged, dirty or worn out gloves. 4. The gloves should not come in contact with a naked flame or fire. 5. Do not subject to high speed or serrated blades. 6. Always read enclosed user instructions before using these gloves. 8. The information provided is for products in a new condition and does not reflect the actual duration of protection in the workplace. 9. Service life cannot be specified and depends on the application and the responsibility of the user to ascertain suitability of the glove for its intended use.

CONSTITUENTS / ALLERGIES: Some gloves may contain ingredients which are known to be a possible cause of allergies in sensitive persons who may develop irritant and/or allergic contact reactions. If an allergic reaction should occur seek medical advice immediately. This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

For more information about this product, or to access the Declaration of Conformity or Product Certification, visit;

If appropriate to the product. CEU Declaration of Conformalies, relevant certification and supporting documentation are available to access the following the advanced by contacting UC customer services quoting the product reference occes this document and any opter statement or proded reference occes this document and any opter statement or proded reference to a configuration of the configuration of the statement of the stat





Fax: +44 (0)1902 451 271

Email: sales@ultimateindustrial.co.uk

Web: www.ultimateindustrial.co.uk



Leadership in Industrial PROTECTIÓN.™

© 2019. Ultimate Cleaners (Industrial) Ltd. Victoria House, Colliery Road, Wolverhampton, WVI 2RD, UK Registered in England No. 2035621





Fax: +44 (0)1902 451 271

Email: sales@ultimateindustrial.co.uk



