

TEGERA® 7776

Cut resistant glove, fully lined, 0,7-0,9 mm full grain goatskin of top quality, CRF® Technology, structured, spandex, cut resistance level D, fleece, Cat. II, black, yellow, knuckle protection, reinforced index finger, high-viz colour, waterproof, Velcro®, for allround work

PROPERTIES

High level of protection, flexible, durable, perfect fit

SPECIFICATION

TYPE OF GLOVE Cut resistant gloves

CATEGORY Cat. II

CUT RESISTANCE (EN ISO 13997) Cut resistance level D

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 16,8

IMPACT PROTECTION (EN 13594:2015) P

SIZE RANGE (EU) 8, 9, 10, 11, 12

COLLECTION DYNAMIC STRENGTH

PALM MATERIAL Full grain goatskin of top quality

PALM THICKNESS 0,7-0,9 mm

BACK MATERIAL Spandex

LINER MATERIAL CRF® Technology

LINING Fully lined

LINING MATERIAL Fleece

DEXTERITY 1

GRIP PATTERN Structured

FASTENING Velcro®

LENGTH RANGE 235-285 mm

COLOUR Black, yellow

PAIRS PER PACKAGE/CARTON 3/36

DISPLAY Thread



AQUATHAN®

CRF®

Xrd | extreme
impact
protection

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 7776

FEATURES

Impact-reducing, cut resistant according to 388:2016 level D, high-viz colour, reinforced index finger, pre-curved fingers, waterproof

PREVENTS RISK OF

Prevents risk of: cut injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with moisture, contact with damp

PRIMARY ENVIRONMENTS OF USE

Dark environments, cold environments, wet environments, harsh environments

PRIMARY AREAS OF USE

Machine operating, construction

PRIMARY INDUSTRIES OF USE

Oil, gas, petrochemical

TYPE OF WORK

Medium weight



CE Cat. II

EN 420:2003
+ A1:2009

EU Regulation
2016/425



EN 388:2016
3X42DP



EN 511:2006
120



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-03-17

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 7776

EC TYPE EXAMINATION

Notified Body: 0321 SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD, United Kingdom

COMPLIANCE DESCRIPTION

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	3	(4)
b) Cut resistance (Index)	X	(5)
c) Tear resistance (N)	4	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	D	(F)
f) Impact protection, EN 13594:2015	P	(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003
+ A1:2009

EU Regulation
2016/425



EN 388:2016
3X42DP



EN 511:2006
120



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-03-17

3(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com