# Honeywell | Safety Products

Europe / Africa Partners Where To Buy



#### PRODUCT NUMBER: 2232236 POLYTRIL™ TOP

Handling in oily or greasy conditions. Outdoor handling in wet environment. Assembly work in greasy/oily environment. Construction, automotive, metal industry.

## Honeywell

Overview			
Reference Number 2232236			
Product Type Gloves			
<b>Range</b> General purpose			
<b>Line</b> Heavy handling			
<b>Brand</b> Honeywell			
Brand formerly known as SPERIAN			
Industry			
<ul> <li>Industry</li> <li>Automotive and Part Manufacturer</li> <li>Transportation</li> </ul>	Logistics	Maintenance	Offshore

#### **Product Use**

Handling in oily or greasy conditions. Outdoor handling in wet environment. Assembly work in greasy/oily environment. Construction, automotive, metal industry.

#### **Features & Benefits**

#### Feature

Knitted polyamide glove Black oilproof nitrile coating on palm and back Fully dipped Smooth finish Elastic wrist

#### Benefit

#### COMFORT

The knitted construction conforms perfectly to the natural shape of the hand thus providing excellent dexterity.

#### Page 1 Of 3 © Honeywell International Inc.

Q

#### POLYTRIL<sup>™</sup> TOP - 2232236

Open back to provide superior ventilation.

#### SECURITY

Polyamide combines good resistance to abrasion, humidity, tearing and shearing. The nitrile coating on the palm and fingertips brings some excellent abrasion resistance quality as well as oilproof properties. A pattern finish to enhance grip.

HYGIENE

Black colour dedicated to dirty applications and environments.

#### **Technical Description**

#### Description

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-2003 Basic standards EN 388-2016 Mechanical hazards

#### CHARACTERISTICS :

Knitted polyamide glove. Black oilproof nitrile coating on palm and back. Fully dipped Smooth finish Elastic wrist

#### Product Technology

Knitted Coated

Gauge 13

Glove/liner color Black

Coating Type Polyamide and nitrile

Length 25 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

**Sizes** 7 to 10

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1
Cutting resistance (TDM test)	Х

### **Additional Information**

#### User Manual

UI 202

#### Maintenance

#### Storage Information

Minimum packaging : 10 pairs. Cartons of 100 pairs.

#### **Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

C Honeywell International Inc.